

**G models****G 310 GS, K02****Model code: 0G02**

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Metzeler

Metzeler Tourance

110/80-19 M/C 59H TL

Metzeler Tourance

150/70 R17 M/C 69H TL

Metzeler Tourance

110/80 R19 M/C 59V TL

Metzeler Tourance

150/70 R17 M/C 69V TL

G 310 GS, K02 (USA)

Model code: 0G12

**Tyre type, front****Size, front****Tyre type, rear****Size, rear****Comment**

Metzeler

Metzeler Tourance

110/80-19 M/C 59H TL

Metzeler Tourance

150/70 R17 M/C 69H TL

Metzeler Tourance

110/80 R19 M/C 59V TL

Metzeler Tourance

150/70 R17 M/C 69V TL

<b>G 310 R, K03</b>		<b>Model code: 0G01</b>			
---------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Metzeler				
Metzeler Sportec M5 Interact	110/70 R17 M/C 54H TL	Metzeler Sportec M5 Interact	150/60 R17 M/C 66H TL	
Michelin				
Michelin Pilot Street Radial	110/70 R17 M/C 54H TL	Michelin Pilot Street Radial	150/60 R17 M/C 66H TL	
Pirelli				
Pirelli Diablo Rosso 2 R	110/70 R17 M/C 54H TL	Pirelli Diablo Rosso 2 RD	150/60 R17 M/C 66H	

<b>G 310 R, K03 (USA)</b>		<b>Model code: 0G11</b>			
---------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Metzeler				
Metzeler Sportec M5 Interact	110/70 R17 M/C 54H TL	Metzeler Sportec M5 Interact	150/60 R17 M/C 66H TL	

Michelin

Michelin Pilot Street Radial 110/70 R17 M/C 54H TL Michelin Pilot Street Radial 150/60 R17 M/C 66H TL

Pirelli

Pirelli Diablo Rosso 2 R 110/70 R17 M/C 54H TL Pirelli Diablo Rosso 2 RD 150/60 R17 M/C 66H

<b>G 450 X, K16</b>		<b>Model code: 0145</b>			
---------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Metzeler

MCE 6 DAYS EXTREME Front	90/90-21 M/C 57M M+S	MCE 6 DAYS EXTREME	140/80-18 M/C 70M M+S	5, 6
--------------------------	----------------------	--------------------	-----------------------	------

Michelin

Enduro Competition V Front	90/90-21 M/C 57R TT	Enduro Competition 3e Rear	140/80-18 M/C 70R TT	
----------------------------	---------------------	----------------------------	----------------------	--

<b>G 650 Xchallenge, K15</b>		<b>Model code: 0165</b>			
------------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Metzeler

Enduro 3 Sahara Front

90/90-21 54S

Enduro 3 sahara

140/80-18 70S

6, 18

Pirelli

Scorpion Pro F.I.M.

90/90-21 54M M+S

Scorpion Pro F.I.M.

140/80-18 70M M+S

5, 6, 16, 18

<b>G 650 Xchallenge, K15 (USA)</b>		<b>Model code: 0195</b>			
------------------------------------	--	-------------------------	--	--	--

**Tyre type, front**

**Size, front**

**Tyre type, rear**

**Size, rear**

**Comment**

Metzeler

Enduro 3 Sahara Front

90/90-21 54S

Enduro 3 sahara

140/80-18 70S

6, 18

Pirelli

Scorpion Pro F.I.M.

90/90-21 54M M+S

Scorpion Pro F.I.M.

140/80-18 70M M+S

5, 6, 16, 18

<b>G 650 Xcountry, K15</b>		<b>Model code: 0164</b>			
----------------------------	--	-------------------------	--	--	--

**Tyre type, front**

**Size, front**

**Tyre type, rear**

**Size, rear**

**Comment**

Pirelli

Scorpion Trail      100/90-19 57S      Scorpion Trail      130/80-17 65S      6, 18

G 650 Xcountry, K15 (USA)

Model code: 0194

**Tyre type, front      Size, front      Tyre type, rear      Size, rear      Comment**

Pirelli

Scorpion Trail      100/90-19 57S      Scorpion Trail      130/80-17 65S      6, 18

<b>G 650 Xcountry, K15</b>		<b>Model code: 0141</b>			
----------------------------	--	-------------------------	--	--	--

**Tyre type, front      Size, front      Tyre type, rear      Size, rear      Comment**

Pirelli

Scorpion Trail      100/90-19 57S      Scorpion Trail      130/80-17 65S      6, 18

<b>G 650 Xcountry, K15 (USA)</b>		<b>Model code: 0151</b>			
----------------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Pirelli				
Scorpion Trail	100/90-19 57S	Scorpion Trail	130/80-17 65S	6, 18

<b>G 650 Xmoto, K15</b>		<b>Model code: 0167</b>			
-------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Metzeler				
Roadtec Z6 Interact	120/70 ZR17 M/C (58W) TL	Roadtec Z6 Interact	160/60 ZR17 M/C (69W) TL	18
Sportec M3 Front	120/70 ZR17 M/C (58W) TL	Sportec M3	160/60 ZR17 M/C (69W) TL	18

<b>G 650 Xmoto, K15 (USA)</b>		<b>Model code: 0197</b>			
-------------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Metzeler				
Roadtec Z6 Interact	120/70 ZR17 M/C (58W) TL	Roadtec Z6 Interact	160/60 ZR17 M/C (69W) TL	18

Sportec M3 Front

120/70 ZR17 M/C (58W) TL

Sportec M3

160/60 ZR17 M/C (69W) TL

18

**G 650 GS, R13 31**

**Model code: 0178**

**Tyre type, front**

**Size, front**

**Tyre type, rear**

**Size, rear**

**Comment**

Continental

TKC 80 Twinduro

110/80 B19 M/C 59Q TL M+S

TKC 80 Twinduro

130/80-17 M/C 65T TL M+S

2, 4, 6

Metzeler

Tourance Front

100/90-19 M/C 57S TT

Tourance

130/80 R17 M/C 65S TL

6, 18

**G 650 GS, R13 31 (USA)**

**Model code: 0179**

**Tyre type, front**

**Size, front**

**Tyre type, rear**

**Size, rear**

**Comment**

Continental

TKC 80 Twinduro

110/80 B19 M/C 59Q TL M+S

TKC 80 Twinduro

130/80-17 M/C 65T TL M+S

2, 4, 6

Metzeler

Tourance Front	100/90-19 M/C 57S TT	Tourance	130/80 R17 M/C 65S TL	6, 18
----------------	----------------------	----------	-----------------------	-------

<b>G 650 GS, R13 31</b>		<b>Model code: 0180</b>			
-------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Continental

TKC 80 Twinduro	110/80 B19 M/C 59Q TL M+S	TKC 80 Twinduro	130/80-17 M/C 65T TL M+S	2, 4, 6
-----------------	---------------------------	-----------------	--------------------------	---------

Metzeler

Tourance Front	100/90-19 M/C 57S TT	Tourance	130/80 R17 M/C 65S TL	6, 18
----------------	----------------------	----------	-----------------------	-------

<b>G 650 GS, R13 31</b>		<b>Model code: 0171</b>			
-------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Continental

TKC 80 Twinduro	110/80 B19 M/C 59Q TL M+S	TKC 80 Twinduro	130/80-17 M/C 65T TL M+S	2, 4, 6
-----------------	---------------------------	-----------------	--------------------------	---------

Metzeler



Tourance Front	100/90-19 M/C 57S TT	Tourance	130/80 R17 M/C 65S TL	6, 18
----------------	----------------------	----------	-----------------------	-------

<b>G 650 GS, R13 40</b>		<b>Model code: 0188</b>			
-------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battle Wing BW 501 G Front	110/80 R19 M/C 59V TL	Battle Wing BW 502 G	140/80 R17 M/C 69V TL	25
----------------------------	-----------------------	----------------------	-----------------------	----

Metzeler

Tourance EXP B Front	110/80 R19 M/C 59V TL	Tourance EXP	140/80 R17 M/C 69V TL	6, 25
----------------------	-----------------------	--------------	-----------------------	-------

Michelin

Anakee 2	110/80 R19 M/C 59H TL	Anakee 2	140/80 R17 M/C 69H TL	6, 25
----------	-----------------------	----------	-----------------------	-------

<b>G 650 GS, R13 40 (USA)</b>		<b>Model code: 0189</b>			
-------------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battle Wing BW 501 G Front 110/80 R19 M/C 59V TL Battle Wing BW 502 G 140/80 R17 M/C 69V TL 25

Metzeler

Tourance EXP B Front 110/80 R19 M/C 59V TL Tourance EXP 140/80 R17 M/C 69V TL 6, 25

Michelin

Anahee 2 110/80 R19 M/C 59H TL Anahee 2 140/80 R17 M/C 69H TL 6, 25

G 650 GS, R13 40		Model code: 0135			
------------------	--	------------------	--	--	--

**Tyre type, front**      **Size, front**      **Tyre type, rear**      **Size, rear**      **Comment**

Bridgestone

Battle Wing BW 501 G Front 110/80 R19 M/C 59V TL Battle Wing BW 502 G 140/80 R17 M/C 69V TL 25

Metzeler

Tourance EXP B Front 110/80 R19 M/C 59V TL Tourance EXP 140/80 R17 M/C 69V TL 6, 25

Michelin

Anakee 2

110/80 R19 M/C 59H TL

Anakee 2

140/80 R17 M/C 69H TL

6, 25

<b>G 650 GS Sertão, R13 40</b>		<b>Model code: 0136</b>			
--------------------------------	--	-------------------------	--	--	--

**Tyre type, front**

**Size, front**

**Tyre type, rear**

**Size, rear**

**Comment**

Bridgestone

Battle Wing BW 501

90/90-21 M/C 54H TT

Battle Wing BW 502

130/80 R17 M/C 65H TT

6

Metzeler

Tourance Front

90/90-21 M/C 54S TT

Tourance

130/80 R17 M/C 65S TT

6

Tourance Front EXP

90/90-21 M/C 54S TT

Tourance EXP

130/80-17 M/C 65S TT

6

Michelin

T63

90/90-21 M/C 54S TT

T63

130/80 R17 M/C 65S TT

6

<b>G 650 GS Sertão, R13 40 (USA)</b>		<b>Model code: 0146</b>			
--------------------------------------	--	-------------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battle Wing BW 501	90/90-21 M/C 54H TT	Battle Wing BW 502	130/80 R17 M/C 65H TT	6
Metzeler				
Tourance Front	90/90-21 M/C 54S TT	Tourance	130/80 R17 M/C 65S TT	6
Tourance Front EXP	90/90-21 M/C 54S TT	Tourance EXP	130/80-17 M/C 65S TT	6
Michelin				
T63	90/90-21 M/C 54S TT	T63	130/80 R17 M/C 65S TT	6

<b>G 650 GS Sertão, R13 40</b>		<b>Model code: 0137</b>		
--------------------------------	--	-------------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battle Wing BW 501	90/90-21 M/C 54H TT	Battle Wing BW 502	130/80 R17 M/C 65H TT	6
Metzeler				

Tourance Front	90/90-21 M/C 54S TT	Tourance	130/80 R17 M/C 65S TT	6
Tourance Front EXP	90/90-21 M/C 54S TT	Tourance EXP	130/80-17 M/C 65S TT	6
Michelin				
T63	90/90-21 M/C 54S TT	T63	130/80 R17 M/C 65S TT	6

#### Legend

No.	Description
2	if not included in listing on registration document have tyre pair entered by technical inspectorate.
3	if not included in listing on registration document have tyre pair entered by technical inspectorate or keep certificate with the vehicle at all times.

- 4 The maximum permissible top speed of 160 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
- 5 The maximum permissible top speed of 130 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
- 6 Mount spoke wheels only with hose.
- 7 Rear-wheel rim 5.00x17
- 8 Rear-wheel rim 5.50x17
- 9 Cast wheels, rims MTH2 3.50x17E and MTH2 4.50x18E
- 11 Approved for special vehicles only.
- 12 Tubeless.
- 13 Not permissible for special vehicles.

- 15 The maximum permissible top speed of 170 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
- 16 Approved only without ABS.
- 17 Rear-wheel rim 6.00x17
- 18 Clearance certificate must be obtained from the tyre manufacturer.
- 19 Spoked wheels, rims MTH2 1.85x21 and MTH2 2.50x17
- 20 Spoked wheels, rims MTH2 3.50x17 and MTH2 4.00x17
- 21 Fit the front tyre with tube, because the rim is not suitable for tubeless tyres.
- 22 Tyre not in production at this time.
- 23 Rear-wheel rim 2.75x18
- 24 Rear-wheel rim 3.00x17
- 25 Approved for cast wheels.

- 27 Operation permissible only without spray guard fitted (see on-board documentation for instructions on removal and installation).
- 28 Recommended for OE forged wheel
- 29 Not for forged wheel OE
- 30 If the rear wheel tyre size is changed from 190/55 ZR 17 to 200/55 ZR 17 or vice versa, the parameters of the control systems have to be re-coded; BMW Motorrad recommends having this work done by an authorised BMW Motorrad dealer.
- 31 Not approved for spoke rims.
- 32 The maximum permissible top speed of 190 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
- 33 National-market version for China



- 34 National-market version for  
Brazil
- 35 Recommended for OE carbon  
wheel