

**S models**

<b>S 1000 RR, K46</b>		<b>Model code: 0507</b>			
-----------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battlax BT 015 F E	120/70 ZR17 M/C (58W) TL	Battlax BT 015 R J	190/55 ZR17 M/C (75W) TL	
--------------------	--------------------------	--------------------	--------------------------	--

Battlax BT 016 F W	120/70 ZR17 M/C (58W) TL	Battlax BT 016 R W	190/55 ZR17 M/C (75W) TL	
--------------------	--------------------------	--------------------	--------------------------	--

Metzeler

Racetec Interact K3 Front	120/70 ZR17 M/C (58W) TL	Racetec Interact K3	190/55 ZR17 M/C (75W) TL	
---------------------------	--------------------------	---------------------	--------------------------	--

<b>S 1000 RR, K46 (USA)</b>		<b>Model code: 0517</b>			
-----------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battlax BT 015 F E      120/70 ZR17 M/C (58W) TL      Battlax BT 015 R J      190/55 ZR17 M/C (75W) TL

Battlax BT 016 F W      120/70 ZR17 M/C (58W) TL      Battlax BT 016 R W      190/55 ZR17 M/C (75W) TL

Metzeler

Racetec Interact K3 Front      120/70 ZR17 M/C (58W) TL      Racetec Interact K3      190/55 ZR17 M/C (75W) TL

<b>S 1000 RR, K46 11</b>		<b>Model code: 0524</b>			
--------------------------	--	-------------------------	--	--	--

**Tyre type, front      Size, front      Tyre type, rear      Size, rear      Comment**

Bridgestone

Battlax BT 016 F Pro      120/70 ZR17 M/C (58W) TL      Battlax BT 016 R Pro      190/55 ZR17 M/C (75W) TL

Metzeler

Racetec Interact K3 Front      120/70 ZR17 M/C (58W) TL      Racetec Interact K3      190/55 ZR17 M/C (75W) TL

<b>S 1000 RR, K46 11 (USA)</b>		<b>Model code: 0534</b>			
--------------------------------	--	-------------------------	--	--	--

**Tyre type, front      Size, front      Tyre type, rear      Size, rear      Comment**

Bridgestone

Battlax BT 016 F Pro 120/70 ZR17 M/C (58W) TL Battlax BT 016 R Pro 190/55 ZR17 M/C (75W) TL

Metzeler

Racetec Interact K3 Front 120/70 ZR17 M/C (58W) TL Racetec Interact K3 190/55 ZR17 M/C (75W) TL

S 1000 RR, K46 12		Model code: 0D10			
-------------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
------------------	-------------	-----------------	------------	---------

Bridgestone

Battlax Hypersport S20F EVO 120/70 ZR17 M/C (58W) TL Battlax Hypersport S20R EVO 190/55 ZR17 M/C (75W) TL

Metzeler

Racetec Interact K3 120/70 ZR17 M/C (58W) TL Racetec Interact K3 190/55 ZR17 M/C (75W) TL

Pirelli

Supercorsa SP (V2) 120/70 ZR17 M/C (58W) TL Supercorsa SP (V2) 200/55 ZR17 M/C (78W) TL 28, 30

Diablo Rosso 2 K 120/70 ZR17 M/C (58W) TL Diablo Rosso 2 190/55 ZR17 M/C (75W) TL 33

<b>S 1000 RR, K46 12 (USA)</b>		<b>Model code: 0D21</b>			
--------------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL	
-----------------------------	--------------------------	-----------------------------	--------------------------	--

Metzeler

Racetec Interact K3	120/70 ZR17 M/C (58W) TL	Racetec Interact K3	190/55 ZR17 M/C (75W) TL	
---------------------	--------------------------	---------------------	--------------------------	--

Pirelli

Supercorsa SP (V2)	120/70 ZR17 M/C (58W) TL	Supercorsa SP (V2)	200/55 ZR17 M/C (78W) TL	28, 30
--------------------	--------------------------	--------------------	--------------------------	--------

Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33
------------------	--------------------------	----------------	--------------------------	----

<b>S 1000 RR, K46 13</b>		<b>Model code: 0D50</b>			
--------------------------	--	-------------------------	--	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
-------------------------	--------------------	------------------------	-------------------	----------------

Bridgestone

Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL
-----------------------------	--------------------------	-----------------------------	--------------------------

Metzeler

Racetec RR K3	120/70 ZR17 M/C (58W) TL	Racetec RR K3	200/55 ZR17 M/C (78W) TL	28, 30
---------------	--------------------------	---------------	--------------------------	--------

Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL
-----------------	--------------------------	---------------	--------------------------

Pirelli

Supercorsa SP (V2)	120/70 ZR17 M/C (58W) TL	Supercorsa SP (V2)	200/55 ZR17 M/C (78W) TL	28, 30
--------------------	--------------------------	--------------------	--------------------------	--------

Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33
------------------	--------------------------	----------------	--------------------------	----

S 1000 RR, K46 13 (USA)		Model code: 0D60		
-------------------------	--	------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
------------------	-------------	-----------------	------------	---------

Bridgestone

Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL
-----------------------------	--------------------------	-----------------------------	--------------------------

Metzeler

Racetec RR K3	120/70 ZR17 M/C (58W) TL	Racetec RR K3	200/55 ZR17 M/C (78W) TL	28, 30
Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	
Pirelli				
Supercorsa SP (V2)	120/70 ZR17 M/C (58W) TL	Supercorsa SP (V2)	200/55 ZR17 M/C (78W) TL	28, 30
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33

S 1000 RR, K67		Model code: 0E21			
----------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax S21	120/70 ZR17 M/C (58W) TL	Battlax S21	190/55 ZR17 M/C (75W) TL	25
Metzeler				
Racetec RR K3	120/70 ZR17 M/C (58W) TL	Racetec RR K3	200/55 ZR17 M/C (78W) TL	28, 35
Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	25
Michelin				

Power RS	120/70 ZR17 M/C (58W) TL	Power RS	190/55 ZR17 M/C (75W) TL	25
Power RS	120/70 ZR17 M/C (58W) TL	Power RS	200/55 ZR17 M/C (78W) TL	28, 35

<b>S 1000 RR, K67 (USA)</b>		<b>Model code: 0E23</b>		
-----------------------------	--	-------------------------	--	--

<b>Tyre type, front</b>	<b>Size, front</b>	<b>Tyre type, rear</b>	<b>Size, rear</b>	<b>Comment</b>
Bridgestone				
Battlax S21	120/70 ZR17 M/C (58W) TL	Battlax S21	190/55 ZR17 M/C (75W) TL	25
Metzeler				
Racetec RR K3	120/70 ZR17 M/C (58W) TL	Racetec RR K3	200/55 ZR17 M/C (78W) TL	28, 35
Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	25
Michelin				
Power RS	120/70 ZR17 M/C (58W) TL	Power RS	190/55 ZR17 M/C (75W) TL	25
Power RS	120/70 ZR17 M/C (58W) TL	Power RS	200/55 ZR17 M/C (78W) TL	28, 35

<b>HP4, K42</b>		<b>Model code: 0D01</b>		
-----------------	--	-------------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax BT 016 F Pro	120/70 ZR17 M/C (58W) TL	Battlax BT 016 R Pro	190/55 ZR17 M/C (75W) TL	
Metzeler				
Racetec Interact K3 Front	120/70 ZR17 M/C (58W) TL	Racetec Interact K3	190/55 ZR17 M/C (75W) TL	
Pirelli				
Diablo Supercorsa SP C	120/70 ZR17 M/C (58W) TL	Diablo Supercorsa SP	200/55 ZR17 M/C (78W) TL	

HP4, K42 (USA)		Model code: 0D11		
----------------	--	------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax BT 016 F Pro	120/70 ZR17 M/C (58W) TL	Battlax BT 016 R Pro	190/55 ZR17 M/C (75W) TL	
Metzeler				



Racetec Interact K3 Front 120/70 ZR17 M/C (58W) TL Racetec Interact K3 190/55 ZR17 M/C (75W) TL

Pirelli

Diablo Supercorsa SP C 120/70 ZR17 M/C (58W) TL Diablo Supercorsa SP 200/55 ZR17 M/C (78W) TL

S 1000 R, K47		Model code: 0D02			
---------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
------------------	-------------	-----------------	------------	---------

Bridgestone

Battlax Hypersport S20F EVO 120/70 ZR17 M/C (58W) TL Battlax Hypersport S20R EVO 190/55 ZR17 M/C (75W) TL

Metzeler

Sportec M7-RR M 120/70 ZR17 M/C (58W) TL Sportec M7-RR 190/55 ZR17 M/C (75W) TL 29

Pirelli

Diablo Rosso 2 K 120/70 ZR17 M/C (58W) TL Diablo Rosso 2 190/55 ZR17 M/C (75W) TL 33

S 1000 R, K47 (USA)		Model code: 0D12			
---------------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL	
Metzeler				
Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	29
Pirelli				
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33

S 1000 R, K47 11		Model code: 0D52		
------------------	--	------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL	
Metzeler				

Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	29
Pirelli				
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33

S 1000 R, K47 11 (USA)		Model code: 0D62		
------------------------	--	------------------	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax Hypersport S20F EVO	120/70 ZR17 M/C (58W) TL	Battlax Hypersport S20R EVO	190/55 ZR17 M/C (75W) TL	
Metzeler				
Sportec M7-RR M	120/70 ZR17 M/C (58W) TL	Sportec M7-RR	190/55 ZR17 M/C (75W) TL	29
Pirelli				
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	33

S 1000 XR, K49		Model code: 0D03			
----------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax Sport Touring T30F EVC	120/70 ZR17 M/C (58W) TL	Battlax Sport Touring T30R	190/55 ZR17 M/C (75W) TL	
Pirelli				
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	

S 1000 XR, K49 (USA)		Model code: 0D13			
----------------------	--	------------------	--	--	--

Tyre type, front	Size, front	Tyre type, rear	Size, rear	Comment
Bridgestone				
Battlax Sport Touring T30F EVC	120/70 ZR17 M/C (58W) TL	Battlax Sport Touring T30R	190/55 ZR17 M/C (75W) TL	
Pirelli				
Diablo Rosso 2 K	120/70 ZR17 M/C (58W) TL	Diablo Rosso 2	190/55 ZR17 M/C (75W) TL	

## Legend

No.	Description
2	if not included in listing on registration document have tyre pair entered by technical inspectorate.
3	if not included in listing on registration document have tyre pair entered by technical inspectorate or keep certificate with the vehicle at all times.
4	The maximum permissible top speed of 160 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
5	The maximum permissible top speed of 130 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).

- |    |  |
|----|--|
| 6  | Mount spoke wheels only with hose.   |
| 7  | Rear-wheel rim 5.00x17   |
| 8  | Rear-wheel rim 5.50x17   |
| 9  | Cast wheels, rims MTH2 3.50x17E and MTH2 4.50x18E  |
| 11 | Approved for special vehicles only.  |
| 12 | Tubeless.  |
| 13 | Not permissible for special vehicles.  |
| 15 | The maximum permissible top speed of 170 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker). |
| 16 | Approved only without ABS.   |
| 17 | Rear-wheel rim 6.00x17   |
| 18 | Clearance certificate must be obtained from the tyre manufacturer.   |

- 19 Spoked wheels, rims MTH2  
1.85x21 and MTH2 2.50x17
- 20 Spoked wheels, rims MTH2  
3.50x17 and MTH2 4.00x17
- 21 Fit the front tyre with tube,  
because the rim is not  
suitable for tubeless tyres.
- 22 Tyre not in production at this  
time.
- 23 Rear-wheel rim 2.75x18
- 24 Rear-wheel rim 3.00x17
- 25 Approved for cast wheels.
- 27 Operation permissible only  
without spray guard fitted  
(see on-board documentation  
for instructions on removal  
and installation).
- 28 Recommended for OE forged  
wheel
- 29 Not for forged wheel OE

- 30 If the rear wheel tyre size is changed from 190/55 ZR 17 to 200/55 ZR 17 or vice versa, the parameters of the control systems have to be re-coded; BMW Motorrad recommends having this work done by an authorised BMW Motorrad dealer.
- 31 Not approved for spoke rims.
- 32 The maximum permissible top speed of 190 km/h must be stated where it is clearly noticeable in the rider's field of vision (e.g. sticker).
- 33 National-market version for China
- 34 National-market version for Brazil
- 35 Recommended for OE carbon wheel